
Venture



CORRIDORCOLLECTION






INTRIGUE. EMBRACING. COMPLEX. Harmonic, thoughtfully selected elements come together to create a distinctly organic array of inspiring combinations. The Venture collection suggests intrigue, mystery and the allure of beauty. "Take me with you."

With the use of any of our Corridor Collection designs, one can expect Aureus Design System's unrivaled, incomparable performance. Technically advanced floor coverings are achieved in clarity and content due to our use of the latest technology in machinery combined with Econyl 75^{TM} yarn by Aquafil®, Europe's top fiber producer.

Awareness of the need for high quality design is an important facet of a successful business. DESIGN POWER IS MARKET POWER.

Venture CORRIDOR COLLECTION



*Available in 15' width only. Designed to fit corridors 5' to 7'6"


- **A:** AS572-969 R / Public Space / 7'6" x 7'6"
- **B:** AS572-768 R / Public Space / 7'6" x 2'
- **C:** AS572-968 R / Door Drop / 7'6" x 7'6"
- **D:** AS572-967 R / Corridor* / 7'6" x 14'





- **A:** AS572-969 G / Public Space / 7'6" x 7'6"
- **B:** AS572-768 G / Public Space / 7'6" x 2'
- **C:** AS572-968 G / Door Drop / 7'6" x 7'6"
- **D:** AS572-967 G / Corridor* / 7'6" x 14'





^{*}scale of patterns is approximate



STANDARDSPECIFICATIONS

Style Name: Venture

Machine Type: Aureus-cut-pile pattern placement

Machine Gauge: 1/10 Stitches per 3 inches: 36

Finished Pile Height: Appromximately 0.250" Total Thickness: Approximately 0.375" Tufted Weight: Standard 40 oz per yd² Total Weight: Approximately 80 oz per yd²

Pile Density: 5760

Weight Density: 230,400
Pile Density Index: 324,000
Primary Backing: Woven Synthetic
Secondary Backing: Actionbac*

Flammability: ASTI E-648: Class 1 ASTI E-662:450

or less FF-170: Passes

Fiber: 100% Aquafil Econyl 75™ solution-dyed nylon

Yarn Size: 900/3 plv

Recycled Content: 75% (70% Post-Industrial,

5% Post-Consumer)

Qualified Professional Installation

Patterned carpet installation demands the expertise of a trained professional installer. Northwest Carpets, Inc. recommends Floor-Covering Installation Contractors Association (FCICA)— affiliated installers, PH: 248-661-5015 (fcica.com); and Certified Floor-Covering Installers (CFI), PH: 816-231-4343 (cfi-installers.org).

Environmental Information

Carpets tufted by Aureus Design Systems use exclusively Aquafil Econyl 75™ solution-dyed nylon. With all of the same superior qualities as Aquafil's Alto Chroma™ fiber, Econyl 75™ is made with 75% recycled fiber content (70% Post-Industrial, 5% Post-Consumer). All Aureus products

are CRI Green Label Plus Certified, proven to emit low or not harmful VOC's. Aureus carpet has been tested and proven to last longer than other branded and non-branded nylon, reducing replacement frequency, leaving a smaller footprint on the environment.

- CRI Green Label Plus™ Certified
- Product qualifies 1 LEED Point
- 75% Recycled Content

Warranty Information

These warranties apply exclusively to carpets made using the Econyl 75™ fiber. Using these products in areas where traffic is inappropriate for carpet, or failure to adhere to a regular carpet maintenance regimen (as outlined in Aureus literature, or see www.aureuscarpet.com for full warranty information) voids these warranties. All warranties valid under normal conditions, when product is installed and maintained properly. Contact your sales person for more details and visit website for full warranty information.

- Econyl 75[™] Lifetime Stain Removal Guarantee
- 10-Year Limited Commercial Wear Warranty
- · 5-Year Limited Golf-Spike Wear Warranty
- Lifetime Limited Carpet Static Warranty
- 10-Year Limited Colorfastness to Light Warranty
- 10-Year Limited Colorfastness to Atmospheric Contaminants Warranty

Allow us to consult with you on your next project. For more information visit www.aureuscarpet.com or call 1-800-367-2508

www.aureuscarpets.com









CORRIDOR COLLECTION

NORTHWEST

NORTWESTCARPETS.NET 1.800.367.2508